

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

A proposal for
LEES SUMMIT CITY OF

Prepared by
Premier Truck Group of Kansas City
Lee Setser

Aug 04, 2025

**26MY Freightliner 108SD+
MKCPP 2024-068 Item # 10 56K plow-end dump spec**

*Signature:*_____ *Date:*_____



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-29D	SD PRL-29D (EFF:MY26 ORDERS)			STD
Data Version				
DRL-048	SPECPRO21 DATA RELEASE VER 048			N/C
Vehicle Configuration				
001-176	108SD PLUS CONVENTIONAL CHASSIS	6,829	3,748	\$134,782.00
004-226	2026 MODEL YEAR SPECIFIED			STD
002-004	SET BACK AXLE - TRUCK			STD
019-008	TOWING PROVISION AT END OF FRAME WITH SAE J560, WITHOUT END OF FRAME AIR CONNECTIONS	15	15	\$658.00
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
99D-027	EPA CLEAN IDLE LABEL FOR INITIAL REGISTRATION IN EPA OR ACT STATES - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			STD
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-010	DIRT/SAND/ROCK COMMODITY			N/C
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1A0	FREIGHTLINER SD VOCATIONAL WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 16000.0 lbs			

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			
A69-99D	EXPECTED TAG AXLE(S) LOAD : 0.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 56000.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 56000.0 lbs			
Truck Service				
AA3-018	FRONT PLOW/END DUMP BODY			N/C
AF3-1H6	AMERICAN EQUIPMENT COMPANY			N/C
Tractor Service				
AA2-005	FLATBED TRAILER			N/C
AH6-001	SINGLE (1) TRAILER			N/C
Engine				
101-3BT	CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM, 1050 LB-FT @ 1200 RPM			\$3,555.00
Electronic Parameters				
79A-073	73 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79L-008	PTO MODE THROTTLE OVERRIDE - LIMIT TO 1250 RPM			N/C
79M-001	PTO ENGINE SPEED CONTROL DEACTIVATED BY SERVICE BRAKE LIGHTLY APPLIED (STATIONARY APPLICATIONS)			N/C
79P-004	PTO RPM WITH CRUISE SET SWITCH - 900 RPM			N/C
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
79W-025	CRUISE CONTROL BUTTON PTO CONTROL AND ONE REMOTE PTO SPEED			N/C
79X-020	PTO SPEED 1 SETTING - 1050 RPM			N/C
80G-015	PTO MINIMUM RPM - 800			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
80S-022	PTO 1, WITH SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, ENGAGE WHILE DRIVING INTERLOCKS			N/C

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
80V-002	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, DRIVING OPERATION			N/C
Engine Equipment				
99C-024	EPA 2010/GHG 2024 CONFIGURATION			STD
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		\$562.00
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			N/C
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		\$88.00
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2		STD
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		STD
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	\$816.00
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			STD
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			(\$3.00)

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			N/C
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
23Z-002	NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5	\$144.00
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)			N/C
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			STD
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			STD
266-104	1115 SQUARE INCH ALUMINUM RADIATOR			STD
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE- CHARGED SCA HEAVY DUTY COOLANT			\$18.00
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20		\$487.00
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$92.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			STD

Transmission

342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	STD
---------	---	-----

Transmission Equipment

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			STD
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84E-017	S5 PERFORMANCE LIMITING PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84F-016	S5 PERFORMANCE LIMITING SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84G-012	2000 RPM PRIMARY MODE SHIFT SPEED			N/C
84H-012	2000 RPM SECONDARY MODE SHIFT SPEED			N/C
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY			STD
84N-011	NEUTRAL AT STOP ENABLED			\$420.00
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			STD
353-076	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH BLUNTCUTS			\$200.00
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			\$125.00
362-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO			N/C
363-002	PTO MOUNTING, RH SIDE OF MAIN TRANSMISSION ALLISON & EATON FULLER			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			\$254.00

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			STD
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	15		STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			STD
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STD
Front Axle and Equipment				
400-1A9	DETROIT DA-F-16.0-5 16,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190		\$1,865.00
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10		N/C
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			\$8.00
427-001	FRONT BRAKE DUST SHIELDS	5		\$102.00
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
406-001	STANDARD KING PIN BUSHINGS			STD
536-012	TRW TAS-85 POWER STEERING	40		N/C
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			\$17.00
Front Suspension				
620-004	16,000# FLAT LEAF FRONT SUSPENSION	260		\$689.00
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			N/C
410-001	FRONT SHOCK ABSORBERS			\$121.00
Rear Axle and Equipment				
420-1K4	MERITOR MT-40-14XP 40,000# R-SERIES TANDEM REAR AXLE WITH PUMP		2,530	\$10,815.00
421-529	5.29 REAR AXLE RATIO			N/C
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		40	\$102.00

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	\$466.00
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			N/C
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	\$1,317.00
878-022	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AXLE VALVE AND (1) REAR-REAR AXLE VALVE			\$24.00
87A-020	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH, DISENGAGE INTERAXLE LOCK WITH IGNITION OFF OR VEHICLE SPEED EXCEEDING 25MPH			N/C
87B-025	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5MPH OR LESS, DISENGAGE W/IGN OFF			N/C
423-085	MERITOR 16.5X8.62 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			\$563.00
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-019	ASPHALT SPREADER CLEARANCE REAR BRAKE GEOMETRY			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			\$92.00
425-002	REAR BRAKE DUST SHIELDS		10	\$260.00
440-006	REAR OIL SEALS			STD
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS		20	N/C
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			\$93.00
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
42T-001	STANDARD REAR AXLE BREATHER(S)			STD

Rear Suspension

622-297	TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION		840	\$5,571.00
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)			N/C
431-003	AXLE CLAMPING GROUP			N/C
624-025	55 INCH AXLE SPACING			N/C
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS			N/C
439-002	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)		40	\$157.00

Pusher / Tag Equipment



Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			STD
Brake System				
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			\$232.00
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			STD
* 479-035	AIR DRYER MOUNTED INBOARD ON RH RAIL BACK OF CAB AS FAR FORWARD AS POSSIBLE			N/C
* 460-1AU	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION, NO TRIPLE OR TORPEDO TANKS			\$51.00
	NO TANKS MOUNTED BELOW RH RAIL PLEASE			
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)			\$82.00
Trailer Connections				
481-998	NO TRAILER AIR HOSE			STD
476-998	NO AIR HOSE HANGER			STD
919-064	(2) QUICKFIT PROGRAMMABLE SOLENOIDS W/STATE RETENTION PLUMBED TO BACK OF CAB			\$113.00
296-027	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE			\$59.00
303-026	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE TEMPORARY TIED & COILED IN CHASSIS END OF FRAME WITH 2' ADDITIONAL; NO BRACKETS			\$11.00
310-998	NO TRAILER ELECTRICAL CABLE			STD
Wheelbase & Frame				
545-505	5050MM (199 INCH) WHEELBASE			N/C
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	380	130	\$1,950.00

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			N/C
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			N/C
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	140	-20	\$4.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 133.27 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 130.27 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 326.97 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 47.92 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 78.72 in			N/C
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 0.0 in			
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12		\$50.00
562-055	STANDARD MIDSHIP #1 CROSSMEMBER(S); FIRST MIDSHIP MOUNTED 36.0 INCHES BACK OF CAB			N/C
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	N/C
Chassis Equipment				
556-1E5	14 INCH PAINTED STEEL BUMPER			STD
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$80.00
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
585-998	NO MUDFLAP BRACKETS			STD
590-998	NO REAR MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			STD
607-026	CLEAR FRAME RAILS (EXCEPT AIR DRYER) OUTBOARD BOTH RAILS BACK OF CAB TO REAR SUSPENSION			\$218.00
Fifth Wheel				
578-998	NO FIFTH WHEEL			STD

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
Fuel Tanks				
204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	-10		\$18.00
218-005	RECTANGULAR FUEL TANK(S)			N/C
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
122-1H8	DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR	5		\$313.00
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
093-1YU	CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		\$896.00
094-1YV	CONTINENTAL INTELLIGENT HDC3 11R22.5 16 PLY RADIAL REAR TIRES		192	\$1,120.00
* 510-1YV	CONTINENTAL INTELLIGENT HDC3 11R22.5 16PLY RADIAL SPARE TIRE		127	\$858.00
	CONTINENTAL INTELLIGENT HDC3 11R22.5 16PLY RADIAL SPARE TIRE			
Hubs				
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels				
502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66		\$216.00
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS		104	STD
* 511-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC SPARE WHEEL		83	\$195.00
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-1A5	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
650-008	AIR CAB MOUNTING			STD
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
667-037	SHORT FENDER WITH MUDFLAP			\$141.00
754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		\$115.00
678-001	LH AND RH GRAB HANDLES			STD
646-041	STATIONARY BLACK GRILLE			STD
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE			STD
644-004	FIBERGLASS HOOD			STD
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5		\$117.00
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK			(\$23.00)
726-001	SINGLE ELECTRIC HORN			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS			STD
302-047	LED AERODYNAMIC MARKER LIGHTS			STD
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER			\$162.00
311-021	HEADLIGHTS ON WITH WIPERS, NO DAYTIME RUNNING LIGHTS			\$21.00
294-017	INTEGRAL STOP/TAIL/BACKUP LIGHTS WITH 7 EXTRA FEET OF WIRE MOUNTED AT END OF FRAME			\$16.00
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-1BM	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS			(\$13.00)
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
74B-079	RH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRROR WITH TRIPOD BRACKETS	4		\$79.00
729-001	STANDARD SIDE/REAR REFLECTORS			STD
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			STD
654-003	MANUAL DOOR WINDOW REGULATORS			(\$218.00)

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
663-029	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD			\$423.00
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR			STD
Cab Interior				
055-017	PROFESSIONAL TRIM PACKAGE			N/C
707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"			N/C
70K-016	CARBON WITH BASE BLACK ACCENT			(\$100.00)
706-013	MOLDED DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-035	ASH CUP AND (1)LIGHTER,(1)DASH MOUNTED DUAL USB-C OUTLET			\$41.00
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	20		\$26.00
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			STD
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-029	M2/SD DASH			STD
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD
739-033	STANDARD INSULATION			STD
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-1B3	STANDARD LED CAB LIGHTING			STD
787-998	NO SECURITY DEVICE			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-002	KEY QUANTITY OF 2			STD

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			(\$99.00)
740-998	NO MATTRESS	-20	-15	STD
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		\$167.00
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			STD
759-006	DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST	6		\$104.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER			(\$53.00)
761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER			(\$52.00)
763-101	BLACK SEAT BELTS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			(\$124.00)
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

*	4CH-004	4 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		\$97.00
		\$C1A0176ZZ,C1B0177ZZ,C1C0178ZZ,C1D0179ZZ		
	106-002	ELECTRONIC ACCELERATOR CONTROL		STD
	732-998	NO INSTRUMENT PANEL-DRIVER		STD
	734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS		STD
	87L-005	ENGINE REMOTE INTERFACE WITHOUT INTERLOCKS		N/C
	870-001	BLACK GAUGE BEZELS		(\$1.00)
	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		STD
	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		STD
	198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS		\$25.00
	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		STD

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE			\$134.00
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS			\$79.00
48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP			\$6.00
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			N/C
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			\$30.00
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			\$60.00
736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
72J-998	NO DR ASSIST SYSTEM			(\$32.00)
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			(\$1,019.00)
73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)
679-998	NO OVERHEAD INSTRUMENT PANEL			STD
35M-011	1 QUIKFIT PROGRAMABLE MODULE (QPM/XMC) W/ (4) 20AMP FUSED RELAYS	10		\$805.00
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			STD
747-001	DASH MOUNTED RADIO			STD
750-002	(2) RADIO SPEAKERS IN CAB			STD

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
753-998	NO AM/FM RADIO ANTENNA			STD
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			N/C
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			N/C
752-071	SPRING MOUNTED SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD	2		\$48.00
75W-002	SHARKFIN MULTI-BAND ANTENNA, RIGHT HAND BIAS ROOF MOUNTING LOCATION: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS			STD
78C-003	INTEROPERABLE SDAR ANTENNA			STD
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			STD
8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			STD
6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE			\$40.00
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
329-117	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO BETWEEN SEATS, CAPPED			\$150.00
4C1-025	HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER			\$15.00
4C2-025	HARDWIRE SWITCH #2, ON/OFF LATCHING, 20 AMPS IGNITION POWER			\$15.00
4C3-016	HARDWIRE SWITCH #3, ON/OFF LATCHING, 20 AMPS IGNITION POWER			\$15.00
4C4-006	HARDWIRE SWITCH #4, ON/OFF MOMENTARY, 20 AMPS BATTERY POWER			\$15.00
81Y-006	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS AND SERVICE BRAKES			\$51.00
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN			STD
883-998	NO TRAILER HAND CONTROL BRAKE VALVE			STD
842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY			N/C

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Data Code	Description	Weight Front	Weight Rear	Retail Price
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STD
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			STD
87T-998	NO WRG/SW-OPTL #2,CHAS,AIR			STD
Design				
065-000	PAINT: ONE SOLID COLOR			STD
Color				
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
96F-972	POWDER WHITE (N0006EA) SPARE WHEEL/RIM (PKWHT21, TKWHT21, W, TW)			N/C
964-020	STANDARD BLACK BUMPER PAINT			STD
963-003	STANDARD E COAT/UNDERCOATING			STD
Certification / Compliance				
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Secondary Factory Options				
* 999-070	DEALER/CUSTOMER ADVISED THAT GVW AND/OR GCW ARE ABOVE CUMMINS GUIDELINES WHICH MAY LEAD TO BELOW AVERAGE VEHICLE PERFORMANCE AND ENGINE LIFE			N/C
Sales Programs				
NO SALES PROGRAMS HAVE BEEN SELECTED				

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$166,785.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	8238 lbs	7954 lbs	16192 lbs
<hr/>			
Total Weight ⁺	8238 lbs	7954 lbs	16192 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PMV-024	GHG24 SURCHARGE - CUMMINS	\$555.00
RD1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES	STD
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
PAT-025	STEEL, ALUMINUM, AND CHINA TARIFF IMPACT FEE 108/114 SD AND M2 106/112	\$1,500.00
R26-001	MY26 ESCALATOR	\$3,750.00
P73-2FT	STANDARD DESTINATION CHARGE	\$3,375.00

Extended Warranty

WAG-074	TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$750 CAP FEX APPLIES	\$230.00
Currency Exchange Rate		1.0000
Total Extended Warranty (Local Currency)		\$230.00



Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.




Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Wheelbase (545)	5050MM (199 INCH) WHEELBASE
Rear Frame Overhang (552)	1600MM (63 INCH) REAR FRAME OVERHANG
Fifth Wheel (578)	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Slide Travel (in)	0
Slide Increment (in)	0
Desired Slide Position (in)	0.0
Cab Size (829)	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPER CAB
Exhaust System (016)	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
Cab to Body Clearance (in)	3.0

TABLE SUMMARY - DIMENSIONS

Prepared for:
Mark Stinson
LEES SUMMIT CITY OF
220 SE GREEN ST

LEES SUMMIT, MO 64063
Phone: 816-969-1061

Prepared by:
Lee Setser
Premier Truck Group of Kansas
City
8001 NE PARVIN ROAD
KANSAS CITY, MO 64161
Phone: 816-453-4400

Dimensions	Inches
Bumper to Back of Cab (BBC)	127.0
Bumper to Centerline of Front Axle (BA)	61.4
Front Axle to Back of Cab (AC)	65.6
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	133.3
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	130.3
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	196.3
Cab Height (CH)	71.8
Wheelbase (WB)	198.8
Frame Overhang (OH)	63.0
Overall Frame Length	327.0
Overall Length (OAL)	323.2
Rear Axle Spacing	55.0
Unladen Frame Height at Centerline of Rear Axle	42.8

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.