



Application Number: PL2025-249
Application Type: Commercial Preliminary Development Plan
Application Name: View High Sports Complex
Location: 3301 NW Ashurst Dr

<u>Request</u>	<u>Dome Height</u>	<u>Length</u>	<u>Width</u>	<u>Area</u>
Original	80' - 0"	350' - 0"	240' - 0"	84,000 sf
Revision #1	64' - 0"	350' - 0"	230' - 0"	80,500 sf
Revision #2	59' - 11"	350' - 0"	215' - 0"	75,250 sf

Original Request

-Full use of the soccer field for 11 vs 11 field operations.

Revision #1 Request

- Full use of field maintained for 11 vs 11 field operations, however reduction of the sideline for spectators and coaches
- Increased air pressure to reduce height by adding additional heaters and air handling systems

Revision #2 Request

- Field size reduction removes the use of the field for 11 vs 11 field operations.
- Limits the number of game opportunities
- Increase air pressure to reduce height adding additional heaters and air handling systems
- Adding skylight to promote snow melt and Dome material was changed to Teldar to reduce friction to reduce the effect of the snow load
- Added and modified Evergreen Trees along the NW Ashurst Dr and the south property line

Feel free to contact me should you have any additional questions regarding this project.

Thank You,

Matt Schlicht