


AREIAL MAP





FROM I-470 TURN RIGHT (SOUTH-EAST) ONTO NW BLUE PKWY, TURN RIGHT (WEST) ONTO NW CHIPMAN RD, TAKE RAMP (LEFT) ONTO US-50 E / SEDALIA, KEEP RIGHT ONTO RAMP HAMBLEN RD / 291 NORTH / INDEPENDENCE, TURN RIGHT (SOUTH) ONTO SE HAMBLEN RD, THEN IMMEDIATELY TURN RIGHT (WEST) ONTO SE OLDHAM PKWY, TURN LEFT (SOUTH) ONTO LOCAL ROAD(S) TO SITE LOCATION.

DRIVING DIRECTIONS



# SE BLUE PKWY/A5C0464A SE BLUE PKWY/MO-07000

# SITE ADDRESS

465 SE OLDHAM PKWY LEE'S SUMMIT, MISSOURI 64081 JACKSON COUNTY

LATITUDE: 38° 54' 02.60" (38.900722) N LONGITUDE: 94° 21' 57.80" (94.366056) W

> TAX/PIN #: 61-500-04-49-01-0-00-000 ZONING: CITY OF LEE'S SUMMIT

RFDS CONFIGURATION: TBD RFDS DATE: TBD



# MUNICIPALITY: LEE'S SUMMIT

STATE: MISSOURI

TOWER TYPE: MONOPOLE

TOWER HEIGHT:

140'-0" (150' TO HIGHEST APPURTENANCE)

NUMBER OF CARRIERS:

0 EXISTING, 1 PROPOSED

USE

PROPOSED TELECOMMUNICATIONS TOWER AND UNMANNED EQUIPMENT

# **CONSULTANT:**

SSC, INC. 9900 WEST 109TH STREET, SUITE 300 OVERLAND PARK, KANSAS 66210 PHONE: (913) 438-7700 FAX: (913) 438-7777 ATTN.: JEFF KONKEL

PROJECT SUMMARY

# **DEVELOPER**

SKYWAY TOWERS, LLC 3637 MADACA LANE TAMPA, FL 33618 PHONE: 813-960-6200 ATTN: CARRIE TORREY

POWER COMPANY KCP&L

TELEPHONE COMPANY

# CIVIL ENGINEERING FIRM

LOVELACE & ASSOCIATES
929 SE 3RD STREET
LEE'S SUMMIT, MISSOURI 64063
PHONE: (816) 347-9997
FAX: (816) 347-9979

# PROPERTY OWNER

NEW TKG-KC, LLC A MISSOURI LIMITED LIABILITY COMPANY

CONTACTS

SHEET	DESCRIPTION	REV.	ENG.
T1	COVER SHEET	В	SC/E
CIVIL	SURVEY BY OTHERS		
C-1.0	OVERALL SITE PLAN	В	SC
C-1.1	ENLARGED SITE PLAN	В	SC
C-2.0	EQUIPMENT ELEVATIONS & ANTENNA PLAN	В	SC
C-2.1	SITE SIGNAGE DETAILS	В	SC
C-3.0	COMPOUND FENCE DETAILS	В	SC
SHEF	ET INDEX	•	
	· - <del></del>		

T-MOBILE PROJECT MANAGER

APPROVALS

SKYWAY TOWERS PROJECT MANAGER

CARRIER:



PLANS PREPARED FOR: =



PLANS PREPARED BY:



LS
LS
LS

THIS DRAWING NOTICE
THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE
SOLE PROPERTY OF SSC, INC. AND IS LENT TO THE
BORROWER FOR THEIR CONFIDENTIAL USE ONLY, AND IN
CONSIDERATION OF THE LOAN OF THIS DRAWING, THE
BORROWER PROMISES AND AGREES TO RETURN IT UPON
REQUEST AND AGREES THAT IT WILL NOT BE
REPRODUCED, COPED, LENT OR OTHERWISE DISPOSED OF
DIRECTLY OR INDIRECTLY, NOR USED FOR ANY PURPOSE
OTHER THAN FOR WHICH IT IS FURNISHED.

DESCRIPTION	DATE	BY	RE
	11/08/16	RAN	A
	08/11/17	RKT	В
		11/08/16	11/08/16 RAN

■ MLA NAME & SITE NUMBER

SE BLUE PKWY MO-07000

CARRIER NAME & SITE NUMBER

SE BLUE PKWY A5C0464A

SITE ADDRESS: =

465 SE OLDHAM PKWY LEE'S SUMMIT, MISSOURI 64081

SHEET DESCRIPTION:

**COVER SHEET** 

SHEET NUMBER:

DATE

DATE

T1

# MO-07000 / SE BLUE PKWY PART OF THE SE 1/4, SECTION 8, T47N, R31W, IN JACKSON COUNTY. MISSOURI

### PROPERTY DESCRIPTION: LEASE AREA (AS SURVEYED)

A 50 foot by 50 foot Lease Area, situated in BROWNING INDUSTRIAL PARK EAST, BLOCK G, LOT 1, part of the Southeast Quarter of Section 8, Township 47 North, Range 31 West, in Jackson County, Missouri, more particularly described as follo

COMMENCING at the Southeast Corner of said LOT 1(Found 1/2" Pipe); thence along the East line of said LOT 1, North 02'13'26" East, a distance of 108.38 feet; thence leaving said East line, North 87'36'16" West, a distance of 157.02 feet to the POINT OF BEGINNING; thence continuing North 87'27'55" West, a distance of 50.00 feet; thence North 02'32'05" East, a distance of 50.00 feet; thence South 87'27'55" East, a distance of 50.00 feet; thence South 87'27'55" East, a distance of 50.00 feet to the POINT OF BEGINNING. Containing 2,500 square feet.

### PROPERTY DESCRIPTION: NON-EXCLUSIVE ACCESS/UTILITY EASEMENT (AS SURVEYED)

A 20 foot wide Access/Utility Easement, situated in BROWNING INDUSTRIAL PARK EAST, BLOCK G, LOT 1, part of the Southeast Quarter of Section 8, Township 47 North, Range 31 West, in Jackson County, Missouri, lying 10.00 feet on each side of the following described centerline:

COMMENCING at the Southeast Corner of said LOT 1 (Found 1/2" Pipe); thence along the East line of said LOT 1, North 02'13'26" East, a distance of 108.38 feet; thence leaving said East line, North 87'36'16" West, a distance of 147.02 feet to the POINT OF BEGINNING of said centerline; thence North 02'23'44" East, a distance of 70.63 feet; thence North 87'46'34" West, a distance of 130.91 feet; thence North 02'22'50" East, a distance of 550.78 feet to the South Right of Way line of SE OLDHAM PKWY (Public Right of Way) and the POINT OF TERMINATION.

### PROPERTY DESCRIPTION: NON-EXCLUSIVE UTILITY EASEMENT (AS SURVEYED)

A 10 foot wide Access/Utility Easement, situated in BROWNING INDUSTRIAL PARK EAST, BLOCK G, LOT 1, part of the Southeast Quarter of Section 8, Township 47 North, Range 31 West, in Jackson County, Missouri, lying 5.00 feet on each side of the following described centerline:

COMMENCING at the Southeast Corner of said LOT 1 (Found 1/2" Pipe); thence along the East line of said LOT 1, North 02"13"28" East, a distance of 108.38 feet; thence leaving said East line, North 87"36"18" West, a distance of 147.02 feet; thence North 02"23"44" East, a distance of 55.63 feet to the POINT OF BEGINNING of said centerline; thence South 87"46"34" East, a distance of 136.85 feet to the POINT OF TERMINATION.


Bearings shown hereon are referenced to Grid North of the Missouri State Plane Coordinate System of 1983 (NAD 83), (2011 ADJ.), West Zone. Obtained by static GPS observations and Rinex File submitteds for NGS Opus solutions.


The purpose of this survey is to establish and describe a Lease iated Easements. This is not a boundary survey of the

The utilities as shown on this drawing were developed from the The utilities as shown on this drawing were developed from the information available (existing utility maps, aboveground observations and or surface markings placed on the ground by the utility company or a representative thereof). This company has made no attempt to excavate or go below surface to locate utilities and does not extend or imply a guaranty or warranty as to the exact location of or complete inventory of utilities in this area. It shall be the contractors responsibility to verify the location and depth of all utilities (whether shown or not) prior to excavation or construction and to protect said utilities from damage.

# PROPERTY LEGEND

FOUND CORNER	•
RIGHT OF WAY	R/W
CENTERLINE	C/L
POINT OF BEGINNING	P.O.B.
POINT OF TERMINATION	P.Q.T.
ACCESS/UTILITY EASEMENT	A&U/
UTILITY EASEMENT	U/E
NON-EXCLUSIVE	N-E





### PROPERTY DESCRIPTION: Parent Parcel as Provided

LOT 1, BROWNING INDUSTRIAL PARK EAST, BLOCK G, LOT 1, A SUBDIVISION IN LEE'S SUMMIT, JACKSON COUNTY, MISSOURI, ACCORDING TO THE RECORDED PLAT THEREOF.

NOTE: The parent parcel graphically shown hereon, in full or in part, is the same as that

(1) A FUTURE ADVANCE DEED OF TRUST, ASSIGNMENT OF LEASES AND RENTS, SECURITY AGREEMENT, FINANCING STATEMENT AND FIXTURE FILING, TO SECURE AN INDERSEDNESS OF THE AMOUNT STATED BELOW AND ANY OTHER AMOUNTS PAYBLE UNDER THE TERMS THEREOF, AMOUNTS 80,000,000,00 TRUSTOR; NEW TIGG-KC, LLC BENEFICIARY; WELLS FARCO BANK, N.A. DATED: 11/21/2014 RECORDED: 11/24/2014 DCc/g: 2014E0097890 (Not

(2) UNIFORM COMMERCIAL CODE INSTRUMENT EXECUTED BY NEW TKG-KC, LLC, DEBTOR, IN FAVOR OF WELLS FARGO BANK, NATIONAL ASSOCIATION, CREDITOR, RECORDED 11/24/2014, AS INSTRUMENT NO. 2014E0097891 OF JACKSON COUNTY RECORDS. (Not the type to be depicted hereon)

(3) PLAT ENTITLED "BROWNING INDUSTRIAL PARK EAST, LOT 4", AS RECORDED IN PLAT BOOK I 36, PAGE(S) 29 OF JACKSON COUNTY RECORDS. (Plat is subsequent to current plat and therefore not shown hereon)

(4) UTILITY EASEMENT AND RESERVATIONS AND COVENANTS AS SHOWN AND RESERVED IN DEED, RECORDED 01/10/1978 AS BOOK I B16, PAGE 1677 OF JACKSON COUNTY RECORDS. (Document is subsequent to current plot and therefore not shown hereon)

(5) UTILITY EASEMENT AS RESERVED IN DEED, RECORDED 00/12/1978, AS 800K I 852, PAGE 1181 OF JACKSON COUNTY RECORDS. (Document is subsequent to current plot and therefore not shown hereon)

(6) PLAT ENTITLED " BROWING INDUSTRIAL PARK EAST, LOT 6", AS RECORDED IN PLAT BOOK I 38, PAGE(5) 90 OF JACKSON COUNTY RECORDS. (Plat is subsequent to current plat and therefore not shown hereon)

(7) PLAT ENTITLED "RESURVEY OF BROWNING INDUSTRIAL PARK EAST, BLOCKS A,B,C & D", AS RECORDED IN PLAT BOOK I 40, PAGE(S) 118 OF JACKSON COUNTY RECORDS. (Plot is subsequent to current plot and therefore not

(9) PLAT ENTITLED "RESURVEY OF BROWNING INDUSTRIAL PARK EAST, BLOCK E", AS RECORDED IN PLAT BOOK I 42, PAGE(S) 30 OF JACKSON COUNTY RECORDS. (Plat is subsequent to current plat and therefore not shown hereon)

(10) PLAT ENTITLED "MINOR PLAT, BROWNING INDUSTRIAL PARK EAST", AS RECORDED IN PLAT BOOK F 65 , PAGE(S) 42 OF JACKSON COUNTY RECORDS. (Shown harmon)

I HEREBY CERTIFY THAT A SURVEY WAS MADE BY ME, OR UNDER MY DIRECT SUPERVISION, ON THE GROUND OF THE LEASE AREA, AND ASSOCIATED EASEMENT PREMISES HEREIN DESCRIBED, AND THE RESULTS OF SAID SURVEY ARE REPRESENTED HEREON TO THE BEST OF MY PROFESSIONAL KNOWLEDGE AND BELIEF.

JEFFREY B. LOVELACE MO-LS2580

08-11-17: REV. PER COMMENTS 11-08-16: REV. PER COMMENTS 11-03-16: ADDED TITLE AND A/E









OVELACE & ASSOCIATES Land Surveying - Land Planning Telecommunications Surveys


SURVEY COORDINATED BY

LOVELACE AND ASSOCIATES, LLC P.O. BOX 68, LEE'S SUMMIT, MO 64063 TELEPHONE: 816-347-9997 FAX: 816-347-9979

LOVELACE AND ASSOCIATES, LLC P.O. BOX 68, LLE'S SUMMIT, MO 64063 TELEPHONE: 816-347-9997 FAX: 816-347-9979

# SURVEY PROVIDED FOR:

SKYWAY TOWERS, LLC TAMPA, FL 33618 TELEPHONE: 813-960-6200



According to my interpretations of Community Panel No. 29095C0313F of the Flood Insurance Rate Map for Jackson County, Missouri, dated 09-29-2006, the subject property is in Flood Zone "X", le. "areas determined to be Outside



SITE I.D.: MO-07000

SITE NAME: SE BLUE PKWY

SITE LOCATION: 465 SE OLDHAM PKWY, LEE'S SUMMIT, MO 64081

LA PROJECT ND.: 16392


DRAWN BY: A.C.T.

CHECKED BY: J.B.L.

DATE: 10-25-16 FIELDWORK DATE: 10-21-16

> SHEET NUMBER 1 OF 1

Certificate of Authority Missouri — 2002026538





PLANS PREPARED FOR:



PLANS PREPARED BY:



■ ENGINEERING LICENSE STATE OF MISSOURI STATE CERTIFICATE OF AUTHORIZATION # 6 ENGINEER MLO MICHAEL L. OWENS KV KEVIN VANMAELE RUCTURAL/CIVIL S STRUCTURAL/CIVIL S REJ ROBERTE KEISLING E-27323 ELECTRICAL

DRAWING NOTICE

THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF SSC, INC. AND IS LENT TO THE BORROWER FOR THEIR CONFIDENTIAL USE ONLY, AND IN CONSIDERATION OF THE LOAN OF THIS DRAWING, THE BORROWER PROMISES AND AGREES TO RETURN IT UPON REQUEST AND AGREES THAT IT WILL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR NOIPECTLY, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED.

SUBMITTALS			
DESCRIPTION	DATE	BY	REV
ISSUED FOR ZONING	11/08/16	RAN	A
ISSUED FOR ZONING	08/11/17	RKT	В

SE BLUE PKWY MO-07000


CARRIER NAME & SITE NUMBER


SE BLUE PKWY A5C0464A


465 SE OLDHAM PKWY LEE'S SUMMIT, MISSOURI 64081

OVERALL SITE PLAN


SHEET NUMBER:







OVERALL SIGN PLACEMENT



NOTICE - RF SIGN (BLUE)

12" x 18" DIGITAL PRINT
MOUNTED TO 0.40 THICK
ALUMINUM
(OPERATIONS PROVIDED)

3



② WARNING - RF SIGN

12" x 18" DIGITAL PRINT
MOUNTED TO 0.40 THICK
ALUMINUM
(OPERATIONS PROVIDED)

TYPICAL SIGNS & SPECIFICATIONS



Radio frequency fields near some antennas may exceed FCC rules for human exposure.

Personnal climbing this tower should be trained for working in radio frequency environments and use a personal RF monitor if working near active antennas.

In contact of the communication communication in the communication of the communicat

3 CAUTION - RF SIGN (YELLOW)

12" x 18" DIGITAL PRINT MOUNTED TO 0.40 THICK ALUMINUM (OPERATIONS PROVIDED) PRIVATE PROPERTY

NO TRESPASSING

VIOLATORS WILL BE PROSECUTED

● NO-TRESSPASSING SIGN

12" x 18" DIGITAL PRINT

MOUNTED TO 0.40 THICK

ALUMINUM

(OPERATIONS PROVIDED)

CARRIE

T-Mobile

PLANS PREPARED FOR:



PLANS PREPARED BY:



ENGINEERING LICENSE:
STATE OF MISSOURI
STATE CERTIFICATE OF AUTHORIZATION # EFFECTION |
ENGINEER:
MLO MICHAEL L. OWENS |
KV KEVIN VANMAELE |
REJ ROBERT E. JE |
TMS TEFFECTION |
SDE OPER E-18521 |
ELECTRICAL |
ENGINEER:
DE OPER E-2323 |
ELECTRICAL |
ELE

DRAWING NOTICE

THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF SSC, INC. AND IS LENT TO THE BORROWER FOR THEIR CONFIDENTIAL USE ONLY, AND IN CONSIDERATION OF THE LOAN OF THIS DRAWING, THE BORROWER PROMISES AND AGREES TO RETURN IT UPON REQUEST AND AGREES THAT IT WILL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED.

L	SUBMITTALS			
ł	DESCRIPTION	DATE	BY	REV
Ш	ISSUED FOR ZONING	11/08/16	RAN	A
Ш	ISSUED FOR ZONING	08/11/17	RKT	В
Ш				
П				
П				
ш				

MLA NAME & SITE NUMBER:

SE BLUE PKWY MO-07000

CARRIER NAME & SITE NUMBER

SE BLUE PKWY A5C0464A

465 SE OLDHAM PKWY LEE'S SUMMIT, MISSOURI 64081

SHEET DESCRIPTION:

SITE SIGNAGE DETAILS

SHEET NUMBER:

HERE & ON ANY CATED ABOVE

2 3 3 0

SIGNAGE NOTES:


1. SIGNS SHALL BE FABRICATED FROM CORROSION RESISTANT PRESSED METAL, AND PAINTED WITH LONG LASTING UV RESISTANT COATINGS.

2. SIGNS (EXCEPT WHERE NOTED OTHERWISE) SHALL BE MOUNTED TO THE TOWER, GATE, AND FENCE USING A MINIMUM OF 9 GAUGE ALUMINUM WIRE, HOG RINGS (AS UTILIZED IN FENCE INSTALLATIONS) OR BRACKETS WHERE NECESSARY. BRACKETS SHALL BE OF SIMILAR METAL AS THE STRUCTURE TO AVOID GALVANIC CORROSION.

SITE SIGNAGE FRONT GATE VIEW

2

C-2.1



# REFERENCE NOTES:

-FINISH GRADE

- CORNER. END OR PULL POST 3" NOMINAL SCHEDULE 40 PIPE.
- 2 LINE POST: 2 1/2" SCHEDULE 40 PIPE, PER ASTM-F1083. LINE POSTS SHALL BE EQUALLY SPACED AT MAXIMUM 8'-0" O.C.
- 3 TOP RAIL & BRACE RAIL: 1 1/2" PIPE, PER ASTM-F1083.
- (4) FABRIC: 9 GA CORE WIRE SIZE 2" MESH, CONFORMING TO ASTM-A392.
- (5) TIE WIRE: MINIMUM 11 GA GALVANIZED STEEL AT POSTS AND RAILS A SINGLE WRAP OF FABRIC TIE AND AT TENSION WIRE BY HOG RINGS SPACED MAX. 24" INTERVALS.
- (6) TENSION WIRE: 9 GA. GALVANIZED STEEL.
- (7) BARBED WIRE: DOUBLE STRAND 12-1/2° O.D. TWISTED WIRE TO MATCH WITH FABRIC 14 GA, 4 PT. BARBS SPACED ON APPROXIMATELY 5° CENTERS.
- (B) STRETCHER BAR.
- (9) 3/8" DIAGONAL ROD WITH GALVANIZED STEEL TURNBUCKLE OR DIAGONAL THREADED ROD.
- (10) FENCE CORNER POST BRACE: 1 5/8" DIA. EACH CORNER EACH WAY.
- (11) 1 1/2" MAXIMUM CLEARANCE FROM GRADE.
- (12) 2" FINISH A.E.G. OR AS DETERMINED BY CONSTRUCTION MANAGER DURING BID WALK.
- (13) 4" COMPACTED 95% © STRUCTURES, 90% ELSEWHERE, BASE MATERIAL OR AS DETERMINED BY CONSTRUCTION MANAGER DURING BID WALK.
- (14) FINISH GRADE SHALL BE UNIFORM AND LEVEL.

- (15) GATE POST 4". SCHEDULE 40 PIPE, FOR GATE WIDTHS UP THRU 7 FEET OR 14 FEET FOR DOUBLE SWING GATE, PER ASTM—F1083.
- (16) GATE FRAME: 1 1/2" PIPE, PER ASTM-F1083.
- (17) "MTS" MULTI-LOCKING DEVICE #MT-C6477, OR EQUAL
- (18) GATE DIAGONAL GALVANIZED STEEL 1 1/2" PIPE.
- 19 DUCK BILL OPEN GATE HOLDER. VERIFY LOCATION IN FIELD PRIOR TO INSTALLATION.
- 20 GEOTEXTILE FABRIC
- (21) LINE POST: CONCRETE FOUNDATION (2000 PSI)
- (22) CORNER POST: CONCRETE FOUNDATION (2000 PSI)
- (23) GATE POST: CONCRETE FOUNDATION (2000 PSI)
- (24) 18" x 24" SELECTIVE SITE DEVELOPMENT SIGN
- (25) 12" x 18" YELLOW CAUTION SIGN
- (26) 12" x 18" EMPLOYEE NOTICE SIGN
- 27) GATE FRAME BRACE: 1 5/8" DIAMETER.
- (28) 12" x 18" DANGER HIGH VOLTAGE/NO TRESPASSING SIGN (TYPICAL ALL SIDES OF FENCED COMPOUND)

# **GENERAL NOTES:**

- 1. INSTALL FENCING PER ASTM F-567
- 2. INSTALL SWING GATES PER ASTM F- 900
- 3. LOCAL ORDINANCE OF BARBED WIRE PERMIT REQUIREMENT SHALL BE COMPLIED IF REQUIRED.
- 4. POST & GATE PIPE SIZES ARE INDUSTRY STANDARDS. ALL PIPE TO BE 1 1/2" GALV. (HOT DIP, ASTM A120 GRADE "A" STEEL). ALL GATE FRAMES SHALL BE WELDED. ALL WELDING SHALL BE COATED WITH (3) COATS OF COLD GALV. (OR EQUAL).
- 5. ALL OPEN POSTS SHALL HAVE END-CAPS.
- 6. USE GALVANIZED HOG-RING WIRE TO MOUNT ALL SIGNS.
- 7. ALL SIGNS MUST BE MOUNTED ON INSIDE OF FENCE FABRIC.

CARRIER:



PLANS PREPARED FOR:



PLANS PREPARED BY:





DRAWING NOTICE

THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF SSC, INC. AND IS LENT TO THE BORROWER FOR THEIR CONFIDENTIAL USE ONLY, AND IN CONSIDERATION OF THE LOAN OF THIS DRAWING, THE BORROWER PROMISES AND AGREES THE TO RETURN IT UPON REQUEST AND AGREES THAT IT WILL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR NIDRECTLY, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED.

SUBMITTALS				
DESCRIPT	ION	DATE	BY	RE\
issued for zoning		11/08/16	RAN	A
issued for zoning		08/11/17	RKT	В

■ MLA NAME & SITE NUMBER

SE BLUE PKWY MO-07000

CARRIER NAME & SITE NUMBER

SE BLUE PKWY A5C0464A

SITE ADDRESS:

465 SE OLDHAM PKWY LEE'S SUMMIT, MISSOURI 64081

SHEET DESCRIPTION:

COMPOUND FENCE DETAILS

SHEET NUMBER:

C-3.0