

STATE PLANE COORDINATE TABLE		
Point Number	Grid Northing	Grid Easting
1	983572.327	2815172.121
2	982363.103	2815123.344
3	982368.342	2814993.463
4	982296.408	2814990.561
5	982303.460	2814815.721
6	982225.532	2814812.577
7	982230.437	2814690.956
8	982269.962	2814604.219
9	982168.982	2814460.216
10	982216.467	2814426.917
11	982141.836	2814320.489
12	981965.002	2814444.491
13	981911.983	2814470.453
14	981894.056	2814473.973
15	981897.884	2814379.055
16	981904.180	2814303.717
17	981920.433	2814230.775
18	981942.678	2814153.938
19	981964.752	2814069.128
20	981978.319	2813978.961
21	981981.727	2813887.843
22	981974.551	2813782.481
23	983634.161	2813853.612
24	983627.339	2813886.867
25	983604.587	2814048.031
26	983567.904	2814920.334
27	983576.068	2815076.403

CMH PARKS INC., a Tennessee corporation licensed to do business in the State of Missouri, has caused these presents to be executed this _______ day of ________ 2017.

CMH PARKS, INC. a Tennessee Corporation

STATE OF

I have hereunto set my hand and affixed my Notarial Seal in the date herein last above written

1. Property information referencing this survey was taken from the Commitment for Title Insurance Report, issued by Coffelt Land Title, Inc., File No. 15006271 — Revision 4, Effective Date October 6, 2016 at 8:00 a.m.

2. Bearings used hereon are based on the Missouri State Plane Coordinate System, NAO 1983, West Zone using Missouri Department of Natural Resources Monument "CL-07" with a grid factor of 0.9998999. All Coordinates shown are in meters.

DEVELOPER: CMH PARKS, INC. 5000 Clayton Road Maryville, TN., 37804

PROPERTY DESCRIPTION:

R=470.00'

L=33.96

D=4'08'23"

ITB=S80'28'37"E

R=830.00

L=163.04

D=11'15'17"

A tract of load in the Northwest Quarter of Section 25, Township 47 North, Ronge 32 West of the 5th Principal Meridian in Lea's Summit, Jackson County, Missouri being bounded and described as follows: Commencing at the center of said Section 25; thence North 0218/36* East, along the West line of said Northwest Quarter, 1,392,58 feet to the Point of Beginning of the troat of load to be herein described; thence North A7412* West, 152,100 feet; thence South 0218/36* West, 1,26.00 feet, thence North A7412* West, 152,100 feet, 1,300 feet, 1,300

N73*51'15"W

N77*26'18"W_

FINAL PLAT OF

ARBORWALK NORTH - FIRST PLAT

(Lots 1 thru 100 Inclusive, and Tracts A, B, C, D and E)

NW 1/4, SEC, 25 - Twp. 47N, - Rge. 32W.

LEE'S SUMMIT, JACKSON COUNTY, MISSOURI

S.W. HOOK ROAD

87

S.W. ARBOR CREEK DRIVE (50' R/W)

73 72

36

35 34 33 32

S.W. SUGAR TREE DRIVE (50' R/W)

25 26

N65'30'07"W

7 121.73 N87'41'24"W

S.W. ARBOR FALLS DRIVE (50' R/W)

38 37

> 22 23 24

9 55457 38TW

_N35'02'22"W

∑ S54'57'38"w

S26*05'21"E

_ S11*06'36"E

130,00'

58.00'

15 N87'41'24"W

S87'35'31"E 873.16'

95

93 92

> 81 82

77

94

79 80

15

17

10

11

12

S86'06'14"W

N81*26'34"w

(20) (19)

N75*24'39"W

87.64

105.62

21) L(22)

N87*51'30"W_

91.19

13

14

96 97 98 99 100

> 90 89

83 84 85 86

41 42 43 44 45 46 47 48

76 75 74

40

20

N85"13'24"W

S.W. ARBOR VALLEY DRIVE (50' R/W)

R=830.00°

L=156.53'

(26)7

58

59

60

61

62

63

64

27

N87'41'24"W

78.00

S0218'36"W

POINT OF COMMECEMENT CENTER, Sec. 25, T47N-R32W FOUND 3/8" REBAR FROM TIES

SCALE IN FEET

71

70

69

68

67

66

65

D=10'48'20'

The undersigned owners of the above described tract of land have caused the same to be subdivided in the manner as shown on the accompanying plat, which subdivision and plat shall hereafter be known as:

ARBORWOODS NORTH - FIRST PLAT, LOTS 1 THRU 100, INCLUSIVE, AND TRACTS A, B, C, D MO-DNR MONUMENT $^{\rm MOD}$ E

EASEMENT DEDICATION

JA-46 N: 300640.584 E: 860945.139

S87*45'42"E

95.80

TRACT A P.O.S.

56

55

54

53

52

51

50

49

30

29

28

3 130.00

N87'41'24"W

72.00'

47/N

SEC.

S0218 36"W

57

EASEMINI EDICATION:
An essement is hereby granted to City of Lee's Summit, Missouri, to locate, construct and ministran or to authorize the location, construction and ministrance of poles, wires, and the control of t

The roads and streets shown on this plat and not heretofore dedicated to public use as thoroughfares, are hereby so dedicated.

BUILDING LINES:
Building lines or setbock lines are hereby established as shown on the accompanying plat
and no buildings or portion thereof shall be constructed between this line and the street
right-of-way line.

FLOODPLAIN: According to "Flood insurance Rate Map" Community Ponel No. 29095C0531C, revised January 20, 2017, as published by the Federal Emergency Monagement Agency, this property lies within "Zone X" (Areas determined to be outside the 0.2% annual chance floodplain).

OIL AND GAS WELLS:
There is no visible evidence, this date, of abandoned oil or gas wells located within the property boundary, as identified in "Environmental Impact Study of Abandoned Oil and Gas Wells in Lee's Summit, Missouri", Edward Alton May, Jr., P.E. 1995.

RESTRICTED ACESS: Lots 22, 39, 40, 78, 79, 94, 95 and Tract C shall not have direct vehicular access to SW Arboridge Drive.

COMMON AREA: Tracts A, B, C, D and E (13.00 Acres)
TRACTS A, B, C, D and E are hereby reserved as Common Area and shell be maintained
TRACTS A, B, C, D and E are hereby reserved as Common Area and shell be maintained
where the common area of the control of the post of the condition or property owners'
association, or other entity approved by the Coverning Body, the developer shall remain
justity and severally liable for the maintenance obligations of the condomium or property onwers' assocation

All storm water conveyance, retention or detention facilities to be located on common property shall be owned and maintained by the property owners' association in accordance with the standards set forth in the Covenants, Conditions and Restrictions.



PLAN LEGEND EASEMENTS

D.E. STORM DRAINAGE EASEMENT U.E. UTILITY EASEMENT L.S. LANDSCAPE EASEMENT S.E. SANITARY EASEMENT

SETBACKS

B.L. BUILDING SETBACK

MISC.
R RADIUS
L ARC DISTANCE
D DELTA / CENTRAL ANGLE
I.T.B. INITIAL TANGENT BEARING
R/W RIGHT OF WAY P.O.S. PRIVATE OPEN SPACE

SURVEY MARKERS

SURVEY MARKERS

SHOWN SECTION CONHER HE

FOUND SECTION CONHER HE

FOUND ROPERTY CONNER

(MONUMENTATION AS NOTED)

SET 1/6" FROM REGAR WITH PLASTIC

CAP TO BE SET UPON COMPLETION

OF CONSTRUCTION LAS OF SET

WITH CAP'S WILL ALSO GE SET

ON ALL LOT AND THACT CONNERS)

This plot and survey of ARBORWALK NORTH - FIRST PLAT were executed by Olsson Associates, Inc., 1301 Burlington Street #100, North Kansas City, Missouri 64116.

I HEREBY CERTIFY: that the Plat of ARBORWALK NORTH — FIRST PLAT subdivision is based on an actual survey made by me or under my direct supervision and that soid survey meets or exceeds the current Missouri Manimum Standards for Properly Boundery Surveys as established by the Wassouri Board for Architects, Professional Engineers, Professional Surveyors and Londscope Admitted and the Missouri Boardment of Neutral Resources. In Universe certify that the platform of the Company of the Control of Surveyors and Londscope Admitted to the Missouri Boardment of Neutral Resources. In Universe certify that of surveying and platfing of subdivisions to the best of my professional knowledge and belief.



OLSSON ASSOCIATES, INC. MO CLS 366 Jason S. Roudebush, MO. PLS 2002014092 Date: April 4, 2017

DATE OF SURVEY

oject no.: 017-018, name: V_FPT_017-0188.DWC

® v SON Ŋ

