

ELEVATION NOTES

E.) ROOFING TO BE COMPOSITION SHINGLES ON 30* FELT ON 3/4" CDX PLYWOOD SHEATHING OR 5/8" O.S.B. (CLIPPED) SHOULD THE CONTRACTOR FIND DISCREPANCIES OR (E) SIDING ON REAR AND SIDES TO BE "INNERSEAL"

ON 1/16" O.S.B. W/ IX4 "SMART" TRIM AT ALL CORNERS.
INSTALL PER MANUFACTURER'S INSTRUCTIONS.
PROVIDE IX4 "SMART" TRIM AROUND WINDOWS. AMBIGUITIES IN, OR OMISSIONS FROM THE DRAWINGS, NOTIFY THE ARCHITECT FOR CLARIFICATION PRIOR TO CONSTRUCTION.

VERIFY ALL ROUGH OPENING DIMENSIONS FOR SELECTED

ALL MANUFACTURED ITEMS, MATERIALS, AND EQUIPMENT

CONDITIONED, ADJUSTED, AND CLEANED IN ACCORDANCE

ISSUED AND RECOMMENDED BY ORGANIZED ASSOCIATIONS

SHALL BE INSTALLED, ERECTED, APPLIED, USED,

OF MANUFACTURERS, CRAFTS, AND TRADES.

WITH THE CURRENT DIRECTIONS, INSTRUCTIONS, AND

RECOMMENDATIONS OF THE MANUFACTURER AND WITH CURRENT PRINTED STANDARD SPECIFICATIONS WHICH ARE

CONSTRUCTION BEGINS.

2ND FLOOR DECK

1ST FLOOR PLATE

→ 7'-10" WINDOW HEAD HT.

TOP OF FOUNDATION

- STUCCO ON METAL LATH AND 30* FELT ON 1/16" O.S.B. EXTEND STUCCO TO WITHIN 8" OF FINISHED GRADE. DOORS, WINDOWS, AND MECHANICAL REQUIREMENTS BEFORE
 - 2" MANUFACTURED STONE VENEER. INSTALL PER MANUFACTURER'S INSTRUCTIONS.
 - ED NOT USED.
 - ES TIGHT BARGE
 - €7) NOT USED.
 - (E.8) NOT USED.
 - (E.) 36" LONG x 6" WIDE BRACKET, RE: DETAIL 2/A1.
 - E. LAP SIDING W/ 4" REVEAL.
 - (E.)) 36" LONG x 6" WIDE BRACKET, RE: DETAIL 3/AI.

EVANSTON 'C' FRONT ELEVATION

3 WOOD BRACKET

HEAD HT.

1ST FLOOR DECK

TOP OF FOUNDATION



