The City of Lee's Summit

Legislation Details (With Text)

File #:	202	0-3704	Name:			
Туре:	Disc	cussion Item	Status:	Filed		
File created:	9/23	3/2020	In control:	City Council - Regular Session		
On agenda:	9/29)/2020	Final action:	9/29/2020		
Title:	City	City Facility Adjustments in Response to COVID-19				
Sponsors:						
Indexes:						
Code sections:						
Attachments:						
Date	Ver.	Action By	Acti	on	Result	
9/29/2020	1	City Council - Regular Ses	sion rece	eived and filed		

City Facility Adjustments in Response to COVID-19

Background:

In response to COVID-19, several additional mitigation steps will be undertaken at multiple City Facilities. The projects are being undertaken to reduce the number of touch points in a facility, improve air quality, improve sanitation capabilities, and promote safe interaction between employees and the public. The Facilities Related COVID-19 Response Projects include:

City Hall:

- Touchless Entry
 - o Sliding entry doors at the north and south entrance
 - o Wave plate installation for touchless entry on the east doors
 - Foot operated door openers for restroom doors
- Employee and Customer Interaction Safeguards
 - o Permanent and semi-permanent glass installation at open counters
 - Finance
 - Development Services
 - Parks and Rec
 - \circ $\;$ Lobby stairwell glass enclosure with key card access and lock controls
 - Elevator key card access
- Air Quality Upgrades

File #: 2020-3704, Version: 1

- Installation of air purifiers on the existing HVAC system
- Sanitation Improvements
 - Installation of under sink water heaters for handwashing
- Touchless Surface Improvements
 - Touchless light switch installation
 - Touchless ADA water fountains

Maintenance Facility:

- Touchless Entry
 - Wave plate installation at main entrance
 - Foot operated door openers for restroom doors
- Air Quality Upgrades
 - o Installation of Variable Refrigerant Flow (VRF) HVAC System to create individual airflow zones
- Sanitation Improvements
 - o Installation of under sink water heaters for handwashing
- Touchless Surface Improvements
 - Touchless ADA Water Fountains
 - Touchless Faucets in restrooms

Fire Stations:

- Air Quality Upgrades
 - o Installation of VRF HVAC Systems to create individual airflow zones
 - Stations 1 & 6
 - Installation of air purifiers on the existing HVAC system
 - Stations 2 & 7
- Employee & Customer Interaction Safeguards
 - o Vestibule remodel to help prevent public from waking into conference room area
 - Station 1
- Touchless Surface Improvements
 - Touchless light fixtures
 - Stations 1, 6, & 7
 - Touchless Plumbing Fixtures

File #: 2020-3704, Version: 1

All stations

Impact/Analysis:

All projects are being funding through and are in conformance with the CARES Act Funding allocation received from Jackson County.

<u>Timeline:</u> Start: 9/1/2020 Finish: 12/31/2020

Ryan Elam, Director of Development Services